



Navy ESPC | Ice Extent | May SIO



Figure 1: September 2020 mean 80% (blue) and 15% (red) sea ice concentration contours for Fram Strait from the Navy Earth System Prediction Capability 16 member ensemble using 1 May 2020 initial conditions




**Figure 2: September 2020 mean ice extent from the Navy Earth System Prediction Capability individual 16 members using 1 May 2020 initial conditions for the Arctic.**



**Figure 3: September 2020 mean ice extent from the Navy Earth System Prediction Capability individual 16 members using 1 May 2020 initial conditions for the Antarctic.**

NavyESPC SIP from 1 May 2020 IC forecasts



NavyESPC SIP from 1 May 2020 IC forecasts





Figure 4: Sea Ice Probability (%) of the projected September 2020 mean ice extent from the Navy Earth System Prediction Capability 16 member ensemble using 1 May 2020 initial conditions.

NavyESPC 2020 May SIO: Mean First Ice Free Day



NavyESPC 2020 May SIO: Mean First Ice Free Day




Figure 5: First ice-free ordinal date, with gray indicating a data void (i.e., no ice free days as the most likely outcome) from the Navy Earth System Prediction Capability 16 member ensemble using 1 May 2020 initial conditions.

NavyESPC 2020 May SIO: Std Dev First Ice Free Day

NavyESPC 2020 May SIO: Std Dev First Ice Free Day




Figure 6: Standard deviation of first ice-free ordinal date, with gray indication a data void (i.e., no ice free days as the most likely outcome) from the Navy Earth System Prediction Capability 16 member ensemble using 1 May 2020 initial conditions.

Navy ESPC | Ice Extent | May SIO

Navy ESPC | Ice Extent | May SIO





Figure 7: Sea ice concentration (15%) contours of the September median from the Navy Earth System Prediction Capability 16 member ensemble using 1 May 2020 initial conditions. The lighter contours show the individual ensemble members while the dark contour shows the ensemble median.



**Figure 8: Areal sea ice extent (Mkm<sup>2</sup>) versus time from the Navy Earth System Prediction Capability 16 member ensemble using 1 May 2020 initial conditions (left – Arctic, right – Antarctic). The thin red curves show the individual members while the thick red curve shows the ensemble mean. The gray shading represents  $\pm 1$  standard deviation. For reference, the thick black curve indicates actual sea ice extent (to date) from the National Snow and Ice Data Center (NSIDC).**